

# GVG USB Cover Installation.



## TOOLS NEEDED

- Hand drill with #2 Phillips driver



## PARTS PROVIDED

- USB Cover
- Self-drilling screws



## OVERVIEW

These instructions are for the installation of a metal cover to help protect USB flash drives that are inserted in the rear of GVG models from being tampered with. Before and after images are shown below.



USB drive without cover installed.



Finished USB Cover Installation.

## GVG USB Cover Installation.

**NOTE:** If installing onto a GVG-26c, skip step 1-4 and start at step 5



- 1 Grill Removal**  
 ✓ *Tools Needed - #2 Phillips driver*  
 Remove upper left rear grill fastener using a #2 Phillips driver. Then remove the power cord from the cord wrap.

- 2 Cover Insertion**  
 ✓ *NO Tools Needed*  
 While pulling back the rear grill, insert the supplied USB Cover at an angle while making sure to not contact the installed USB drive.



- 3 Cover Position**  
 ✓ *NO Tools Needed*  
 Check to ensure the USB Cover is in the position shown.

- 4 Cover Position**  
 ✓ *Tools Needed - #2 Phillips driver*  
 Slide the USB Cover to the left, allowing access to the (2) mounting slots. The grill fastener removed in Step 1 can now be re-installed and tightened.

# GVG USB Cover Installation.



GVG-10



GVG-26c

## 5 Cover Fastening

✓ *Tools Needed - #2 Phillips driver*

Fasten the USB Cover into place using a hand drill with a #2 Phillips driver and the supplied self-drilling screws.

*The process is now complete.*



**Customer Service**  
877.307.COOL (2665)  
orders@idw-usa.com



**Parts Ordering**  
877.307.COOL (2665)  
orderdesk@idw-usa.com



**Service Department**  
877.307.COOL (2665)  
service@idw-usa.com